

## **Large Load Interconnection**

## **Application for a Preliminary Assessment**

#### I. APPLICABILITY

Upon request, El Paso Electric Company (EPE) can provide a preliminary assessment for the interconnection of a Large Load Facility to the EPE system. <sup>1</sup> This Application is for use by:

- An entity seeking to interconnect load of 20 MW or greater to the EPE system (a "Load-Only interconnection"), or
- An entity seeking to co-locate load of 20 MW or greater with generating facilities in a configuration in which either the load or the generating facility (or both) are interconnected or to be interconnected to the EPE system (a "Hybrid Interconnection").

#### II. PRELIMINARY ASSESSMENT SCOPE

The preliminary assessment is to be performed by EPE using a currently available base case, and is for the purpose of offering steady state - thermal overload study results, based upon the type of load, the size of the load, the location of the load, and the Applicant's estimate of when the interconnection is desired to occur. In addition, for a "Hybrid Interconnection," the steady state - thermal overload study results will also be based upon the information provided by the Applicant on the type, location, year and size of the co-located generating facilities. EPE will not create new base case models for the preliminary assessment. EPE aims to offer preliminary study results to the Applicant using an as-available power flow model for steady state analysis. This steady state analysis is based on two (and up to three) singular snapshots in time where the electric system facilities (such as generators, transmission lines, transformers, etc.) are modeled as fixed and load is modeled as a constant. EPE then would examine whether the addition of the requested large load triggers faults that would cause the system to become unstable, or cause inability to maintain equilibrium.

<sup>&</sup>lt;sup>1</sup> This process could be updated at EPE's discretion and if the applicable regulatory requirements change.

mww.epelectric.com



The steady-state analysis is to evaluate the load at the following two snapshots in time:

- The time of initial interconnection, and
- The time of full ramp-up of the Applicant's load.

In addition, the Applicant may request an evaluation of a mid-point snapshot (a snapshot at some point in time after the initial interconnection and before the time of full load ramp-up), if desired.

If the Application identifies co-located generation, the type and size of the generating facilities at the time of the initial interconnection and at the time of full build-out will be considered in the study. The co-location generation will be treated as an energy resource only for this load.

When EPE presents the results of the preliminary assessment to the Applicant, EPE will include a preliminary identification of facility installations that would be necessary, based solely on the steady-state study results. The Applicant then will have 30 days to decide whether to exit the study process or to request that EPE move forward with the next stage of required studies. Before a large load is interconnected to the EPE system, additional studies beyond the scope of the preliminary assessment will be required. The following types of studies are not covered under the preliminary assessment's scope, but necessary for interconnection are: transient stability (dynamic) analyses that examine the system from the start to the end of a disturbance to determine if the system regains a state of operating equilibrium and electromagnetic transient (EMT) analyses, after which a comprehensive identification of facilities and a cost estimate are developed and provided to the Applicant.

This preliminary assessment is not binding upon EPE, or the Applicant. In submitting an application for a preliminary assessment, the requester is not obligated to pursue the interconnection. In performing a preliminary assessment, EPE is not bound by the assessment's results. Further study work may identify system impacts other than those identified in the preliminary assessment.

The Applicant has an option to request that EPE proceed directly to the full package of studies necessary for interconnection (steady state, transient stability, and EMT), instead of being given a 30-day review window for the steady-state study results before deciding whether to proceed with the other studies. In the Applicant elects that option, the Applicant should submit a signed study agreement and the associated Appendix along with the study deposits identified there.



#### III. STUDY FEES AND SUBMISSION INSTRUCTIONS

Applications to request a preliminary assessment should be submitted via email to <a href="mailto:largeloadservice@epelectric.com">largeloadservice@epelectric.com</a>. A study deposit of \$275,000 must be submitted along with the Application. The Applicant will need to submit additional deposit if the study costs exceed the initial deposit.

For payment information (including wire transfer instructions) and additional questions, please contact EPE at the following email address <a href="mailto:largeloadservice@epelectric.com">largeloadservice@epelectric.com</a>.



### **APPLICATION**

Na	Name of Applicant (Entity):	
Na	Name of Individual Representing Applicant:	<del></del>
Re	Representative's Title:	
Со	Contact Phone Number:	
Со	Contact Email:	
Ар	Applicant's Proposed Project Name (if any):	
1.	1. This Application is for (check one):	
	☐ New Load-Only Interconnection	
	☐ Existing Load-Only Facility Requesting Additional Load	
	☐ Hybrid Interconnection (Large Load Co-Located with Generating Facility(	ies))
2.	2. Type of Large Load Interconnection Requested (check one):	
	☐ Load-Only Interconnection with EPE Providing <i>Firm Network Service</i> to Interconnected Load	the
	☐ Load-Only Interconnection with EPE Providing <i>Non-Firm Service</i> to the Load	Interconnected
	☐ Hybrid Interconnection with EPE Providing Firm Network Service to an of the Interconnected Load (with Co-Located Generation Responsible Portion). Specify whether the Co-Located Generating Facility is behind the load) or directly connected to the EPE system (check which one apconfiguration of your project):	for the Remaining d the meter (behind
	<ul> <li>Generation behind the meter</li> </ul>	
	<ul> <li>Generation directly connected to the EPE system</li> </ul>	



	☐ Hybrid Interconnection with EPE Providing Non-Firm Service to an Identified Portion of the Interconnected Load (with Co-Located Generation Responsible for the Remaining Portion) Specify whether the Co-Located Generating Facility is behind the meter (behind the load or directly connected to the EPE system (check which one applies to the configuration o your project):		
	<ul> <li>Generation</li> </ul>	behind the meter	
	<ul> <li>Generation</li> </ul>	directly connected to the	e EPE system
3. Identification of the Load Type (check one):			
	☐ Data Cente	-	
	☐ AI Training		
	☐ Al Infrastru	cture	
	☐ Crypto Min	ng	
	☐ Hydrogen P	roduction Facilities	
	☐ Arc Furnace	S	
	☐ Multiple Lo	ads	
	Specify Load	d Type and estimated Perc	centage:
		Load Type1	Percentage %
		Load Type 2	Percentage %
		Load Type 3	Percentage %
	Other - Spe	cify the Type of Load:	
4.	Maximum Load:		
		Withdraw Power from the	EPE system:
MW/hour			

www.epelectric.com




5.	Facility	/ Site	Information	1

Location of the proposed new Large Load Facility site or, in the case of an expansion replacement of an existing load facility, the name and specific location of the existing facilit Include city, state, zip, size of the lot, zoning classification.					
	the point of in an address or substation.			•	•
Include a co	nceptual site pla	an as an Attach	ment.		•

**6.** Provide the date on which Applicant seeks to have its interconnection to the EPE system in service. If Applicant expects to ramp up its load over a period of years, provide a multi-year load ramp-up schedule, to the extent known, to include co-generation if a Hybrid Interconnection.

Expected In-	Requested	Co-Located	Requested	Check a Single Mid-Point
Service Date	Ramp Up Load	Generation <sup>2</sup>	Cumulative Load	Box for Study, if Desired
(MM/YYYY)	(MW)	(MW)	(MW)	
				Applicant's Load at the Time
				of Interconnection
				Applicant's Load at the Time
				of Full Load Ramp-Up

 $<sup>^2</sup>$  Connecting one or more generating facilities to the EPE system requires evaluation by EPE. A separate generator interconnection process will apply.





	Has any of the identified generating facilities already submitted to EPE a request for nerator interconnection service? If yes, identify the generating facilities and their size. licate if it will be acceptable to directly assign a specific generation facility to serve the load.				
8.	Facility Technical Information				
	<ul> <li>□ Interconnecting Voltage Level: □ 115kV □ 345kV □ OtherkV</li> <li>□ Project Coordinates</li> </ul>				
	☐ Facility layout & site plot in a kmz and pdf format, if available				
	☐ One-line diagram identifying equipment connections and transformers, if available				
	Include general description of equipment configuration.				
9.	Operating assumptions, to the extent known at this time:				
	Maximum Peak Demand (MW):				
	Estimated Monthly Energy (MWh):				
	( ) www.epelectric.com				

	Estimated Load Facto	or (%):			
	Project Power Factor				
	Number & Type of M				
	Equipment Harmonic	Sources:			
		ik load, including, for exany time of day and/or se			ations within a
10. El	ectrical Load Profile				
Year	Expected Load (MW/MVAR)	Facility Load Type	24 Hour Pea	k Load Profile	
	,	"	6am – 1pm	1pm – 9pm	9pm – 6am
	/				
			_		
Additio	nal Load Profile Detai	ls/Notes:			
		www.epelectric.	com		



# **SIGNATURE REQUIRED**

Applicant's Representative to sign below and submit the signed Application to EPE, together with the attachments identified in the Application, and a \$275,000 study deposit.

Signature:	
Printed Name:	
Date:	